

HOLLYLAND STREAMIX M1 SPECS

SPECIFICATIONS

I/O Connectors	SDI Input*2 HDMI Input*2 WiFi Antenna Interface*1 USB 2.0 Interface*1 USB 3.0 Interface*1 HDMI Display Interface *1 HDMI PGM Output*1 SDI PGM Output*1 Gigabit Ethernet Port*1 Tally Interface*1 XLR/TRS Balance Input L*1 XLR/TRS Balance Input R*1 3.5mm Monitor Interface*1 XLR/TRS Balance Output L*1 XLR/TRS Balance Output R*1
Dimensions	(L*W*H) : 294*193*54mm
Weight	About 1,250g
Antenna	1 x External WiFi Antenna
AC/DC Power Supply	1 x Power Adapter (100-240 AV)

ENVIRONMENTAL

Operating Temperature	14 to 122° F / -10 to 50° C
Storaging Temperature	-4 to 158° F / -20 to 70° C
Certifications	CE, FCC, 3C

PACKAGING INFO

Package Weight	0.88 lb
Box Dimensions (LxWxH)	15.6 x 5.7 x 5.9"

STREAMIX M1 PRODUCT DESCRIPTION

OVERVIEW

Introducing Streamix M1, the latest portable multi-function integrated live stream switcher from Hollyland! With 6 video inputs, Streamix M1 allows you to live switch up to 5 video feeds in SDI, HDMI, Network Flow, DDR and from mobile phone camera APP. Fitted with audio inputs and outputs of XLR and TRS standards, connecting to microphones or mixing consoles to realize rich audio control is simple and handy. In addition, the Streamix M1 also comes with a 3.5mm audio output for real-time audio monitoring.

With 256GB RAM, Streamix M1 supports recording of the video stream at a single click. Live streaming your show to multiple platforms such as Facebook, YouTube and any RTMP-supported platforms can be done with wired or wireless Internet connection or from remote locations. What's even better, Streamix M1 allows you to adjust video aspect ratio and switch between portrait mode and landscape mode. If that wasn't enough, Streamix M1 also features Multiview function that enables the users to arrange multiple videos on one screen intuitively and seamlessly.

From sports events and esports tournaments to corporate meetings and trainings, Streamix M1 is always your perfect choice.

PACKING LIST

1. Main device x 1
2. Power supply and power cord x 1
3. WiFi antenna x 1
4. User manual x 1

KEY FEATURES

- 1. Multiple Inputs & Easy Live Stream**
 - a. Streaming Beyond Your Wildest Imagination
 - b. As Long As It's RTMP Supported, We Got You Covered!
 - c. Gigabit RJ45 Port for Wired/Wireless Connection
- 2. Wide Gear Compatibility**
 - a. Remote Live Streaming Made Fast & Easy
 - b. Real-Time PTZ Camera Control & Streaming Available
- 3. Outstanding System Features**
 - a. 256GB RAM, Intelligent Power Outage Protection and More!
 - b. Unleash Your Creativity with Multiple Built-In Effects
 - c. A Library of Overlays Awaiting You
- 4. Professional Audio Support**
 - a. Top-Notch Audio Experience
 - b. Built-In Analog Mixer to Add A Professional Touch
- 5. Two Switchers Remote Interaction**

- a. Instant Remote Connection
- 6. Professional Video Quality**
 - a. Buttersmooth Streaming at Any Bandwidth
- 7. Optimized User Experience**
 - a. Inspiration At Your Fingertips
 - b. On-Site Production Just Got Easier
 - c. Thoughtful Heat Dissipation Design
- 8. Compact Form & Convenient Power Supply**
 - a. Powerful Existence in A Compact Body
 - b. DC 19V Power Supply

SPECIFICATIONS

	Description
Interfaces	SDI Input*2 HDMI Input*2 WiFi Antenna Interface*1 USB 2.0 Interface*1 USB 3.0 Interface*1 HDMI Display Interface *1 HDMI PGM Output*1 SDI PGM Output*1 Gigabit Ethernet Port*1 Tally Interface*1 XLR/TRS Balance Input L*1 XLR/TRS Balance Input R*1 3.5mm monitor Interface*1 XLR/TRS Balance Output L*1 XLR/TRS Balance Output R*1
Power Supply	100 ~ 240V AC
Dimension	(L*W*H): 294*193*54mm
Weight	About 1250g
Working Temperature	-10~+50°C (Working Status) -20~+70°C (Storing Status)